

**10k Catalytic Convertor Cleaner**

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**1.1 Product identifier**

Product Name 10k Catalytic Convertor Cleaner
Product code 1428
Unique Formula Identifier (UFI) P250-R0E9-D00R-EX0M

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Additive
Uses Advised Against Not known.

1.3 Details of the supplier of the safety data sheet

Manufacturer

Company Identification Granville Oil & Chemicals Ltd
Address of Manufacturer 29 Goldthorpe Ind. Est.,
Goldthorpe,
Rotherham,
South Yorkshire,
Postal code S63 9BL
Telephone: +44 (0)1709 890099
Fax Not known.
E-mail lab@granvilleoil.com
Office hours 08:00 - 17:00

Responsible Person

Company Identification Veedol Deutschland GmbH
Address of Responsible Person Hans-Böckler-Straße 10
Langenfeld,
Germany

Postal code 40764
Telephone: +49 (0) 2173 893 30 30
Fax Not known.
E-mail lab@granvilleoil.com
Office hours

1.4 Emergency telephone number

Emergency Phone No. +44 (0)1709 890099
Contact Granville Lab
National response centre
Address NHS Direct
Emergency Phone No. +44 111

SECTION 2: HAZARDS IDENTIFICATION

**10k Catalytic Convertor Cleaner****2.1 Classification of the substance or mixture**

Regulation (EC) No. 1272/2008 (CLP) Asp. Tox. 1 :May be fatal if swallowed and enters airways.
Aquatic Chronic 3 :Harmful to aquatic life with long lasting effects.

2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP)

Product Name 10k Catalytic Convertor Cleaner
Contains Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, 1% naphthalene
Diethylbenzene

Hazard Pictogram(s)



GHS08

Signal Word(s)

Danger

Hazard Statement(s)

H304: May be fatal if swallowed and enters airways.
H412: Harmful to aquatic life with long lasting effects.
EUH066: Repeated exposure may cause skin dryness or cracking.

Precautionary Statement(s)

P102: Keep out of reach of children.
P273: Avoid release to the environment.
P301+P310: IF SWALLOWED: Immediately call a POISON CENTRE/doctor.
P331: Do NOT induce vomiting.
P501: Dispose of contents in accordance with local, state or national legislation.

Unique Formula Identifier (UFI)

P250-R0E9-D00R-EX0M

2.3 Other hazards

None known.

2.4 Additional Information

For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances**

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics		918-481-9	80-95	Asp. Tox. 1 H304	GHS08



10k Catalytic Convertor Cleaner

Polyolefin alkyl phenol alkyl amine			1-3	Skin Irrit. 2 H315	GHS07
Hydrocarbons, C10, aromatics, >1% naphthalene		919-284-0	1-3	Asp. Tox. 1 H304 STOT SE 3 H336 Aquatic Chronic 2 H411	GHS08 GHS07 GHS09
Alkaryl polyether			1-3	Aquatic Chronic 3 H412	None
1,2,4-trimethylbenzene	95-63-6	202-436-9	<1	Flam. Liq. 3 H226 Asp. Tox. 1 H304 Skin Irrit. 2 H315 Eye Irrit. 2 H319 Acute Tox. 4 H332 STOT SE 3 H335 Aquatic Chronic 2 H411	GHS02 GHS08 GHS07 GHS09
naphthalene	91-20-3	202-049-5	<1	Flam. Sol. 2 H228 Acute Tox. 4 H302 Carc. 2 H351 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS02 GHS08 GHS07 GHS09
mesitylene 1,3,5-trimethylbenzene	108-67-8	203-604-4	<1	Flam. Liq. 3 H226 Asp. Tox. 1 H304 Skin Irrit. 2 H315 Eye Irrit. 2 H319 STOT SE 3 H335 Aquatic Chronic 2 H411	GHS02 GHS08 GHS07 GHS09
2-ethylhexan-1-ol	104-76-7	203-234-3	<1	Skin Irrit. 2 H315 Eye Irrit. 2 H319 Acute Tox. 4 H332 STOT SE 3 H335	GHS07
diethylbenzene	25340-17-4	246-874-9	<1	Flam. Liq. 3 H226 Asp. Tox. 1 H304 Skin Irrit. 2 H315 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS02 GHS08 GHS07 GHS09
cumene	98-82-8	202-704-5	<0.05	Flam. Liq. 3 H226 Asp. Tox. 1 H304 STOT SE 3 H335 Carc. 2 H351	GHS02 GHS08 GHS07 GHS09



10k Catalytic Convertor Cleaner

				Aquatic Chronic 2 H411	
--	--	--	--	------------------------	--

HAZARDOUS INGREDIENT(S)	CAS No.	Specific Concentration Limit		M-factor	ATE
1,2,4-trimethylbenzene	95-63-6				Acute Tox. 4 (H332) : 11.000
naphthalene	91-20-3				Acute Tox. 4 (H302) : 500
mesitylene 1,3,5-trimethylbenzene	108-67-8	STOT SE 3	C>= 25.00 <= 100.00		
2-ethylhexan-1-ol	104-76-7				Acute Tox. 4 (H332) : 11.000

Contains no non-classified vPvB substances.
 Contains no non-classified substances with a Union workplace exposure limit.
 For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person’s condition or if the symptoms persist. Never give an unconscious person water or other drink.

- Inhalation: Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.
- Skin Contact: Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners. If skin irritation occurs: Get medical advice/attention.
- Eye Contact: Upon irritation of the eye: Remove contact lenses and open eyes widely. Flush eyes with water or saline water(20- 30° C) for at least 5 minutes. Seek medical assistance and continue flushing during transport.
- Ingestion: IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do not induce vomiting! If vomiting occurs, keep head facing down so that vomit does not get into the lungs. Call a doctor or ambulance. Symptoms of chemical pneumonia can appear after several hours. People who have swallowed the product should therefore be kept under medical attention for at least 48 hours.

4.2 Most important symptoms and effects, both acute and delayed



10k Catalytic Converter Cleaner

Headache, Methaemoglobinaemia (naphthalene) This product contains substances that can cause chemical pneumonia if swallowed. Symptoms of chemical pneumonia may appear after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

IF exposed or concerned: Get immediate medical advice/attention.
Bring this safety data sheet or the label from this product.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media Alcohol-resistant foam, carbon dioxide, powder, water mist.
Unsuitable extinguishing media Waterjets should not be used, since they can spread the fire.

5.2 Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters. If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are: Carbon oxides (CO / CO₂)

5.3 Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances. Provide adequate ventilation. Wear suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

6.3 Methods and material for containment and cleaning up

Use sand, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

It is recommended to install waste collection trays in order to prevent emissions to the wastewater system and surrounding environment. Avoid direct contact with the product. Smoking, drinking and consumption of food is not allowed in

**10k Catalytic Converter Cleaner**

the work area. See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Keep only in original packaging.

Storage temperature

Dry, cool and well ventilated.

Storage life

Stable under normal conditions.

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3 Specific end use(s)

Additive

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters**

8.1.1 Occupational Exposure Limits

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
Trimethylbenzenes, all isomers or mixtures	95-63-6	25	125			
Trimethylbenzenes, all isomers or mixtures	108-67-8	25	125			
2-ethylhexan-1-ol	104-76-7	1	5.4			
Cumene	98-82-8	25	125	50	250	Sk

Region Source
United Kingdom UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark Notes
Sk Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.

Biological Exposure Indices						
Substances	CAS Number	Sampling	Tissues	Control parameters	Biological monitoring guidance value	Comments
Polycyclic aromatic hydrocarbons (PAHs)	91-20-3	Post shift	urine	1-hydroxypyrene	4 µmol 1-hydroxypyrene/mol creatinine	

Remark Notes

8.2 Exposure controls

8.2.1. Appropriate engineering controls Use with ventilation, local exhaust ventilation or breathing protection. A washing facility/water for eye and skin cleaning purposes should be present.

8.2.2. Personal protection equipment Smoking, drinking and consumption of food is not allowed in the work area.

**10k Catalytic Converter Cleaner**

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.



Eye Protection

Wear eye protection with side protection (EN166).



Skin protection

Wear protective clothing and gloves: Impervious gloves (EN374-2, EN374-3, EN388).



Respiratory protection

Respiratory protection is not needed in the event of adequate ventilation.



Thermal hazards

None known.

8.2.3. Environmental Exposure Controls Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Physical state	Liquid.
Colour	Colourless.
Odour	Characteristic.
Melting point/freezing point	Not known.
Boiling point or initial boiling point and boiling range	160
Flammability	Not known.
Lower and upper explosion limit	0.6 - 7
Flash Point	62
Auto-ignition temperature	Not known.
Decomposition Temperature	Not known.
pH	Not known.
Kinematic Viscosity	7 mm ² /s
Solubility	Solubility (Water) : Not known. Solubility (Other) : Not known.
Partition coefficient n-octanol/water (log value)	Not known.
Vapour pressure	Not known.
Density and/or relative density	0.8
Relative vapour density	Not known.
Particle characteristics	Not known.

9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY

**10k Catalytic Converter Cleaner****10.1 Reactivity**

None anticipated.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

None anticipated.

10.5 Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute toxicity - Ingestion	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 50505.05
Acute toxicity - Skin Contact	Calculation method : Not classified.
Acute toxicity - Inhalation	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 555.56
Skin corrosion/irritation	Calculation method : Causes mild skin irritation.
Serious eye damage/irritation	Calculation method : Not classified.
Skin sensitization data	Calculation method : Not classified.
Respiratory sensitization data	Calculation method : Not classified.
Germ cell mutagenicity	Calculation method : Not classified.
Carcinogenicity	Calculation method : Not classified.
Reproductive toxicity	Calculation method : Not classified.
Lactation	Calculation method : Not classified.
STOT - single exposure	Calculation method : Not classified.
STOT - repeated exposure	Calculation method : Not classified.
Aspiration hazard	Calculation method : May be fatal if swallowed and enters airways.

11.2 Information on other hazards

Not known.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity**

	Harmful to aquatic life. Harmful to aquatic life with long lasting effects.
Toxicity - Aquatic invertebrates	Not known.
Toxicity - Fish	Not known.
Toxicity - Algae	Not known.
Toxicity - Sediment Compartment	Not classified.

**10k Catalytic Converter Cleaner**

Toxicity - Terrestrial Compartment Not classified.

12.2 Persistence and degradability

Not known.

12.3 Bioaccumulative potential

Not known.

12.4 Mobility in soil

Not known.

12.5 Results of PBT and vPvB assessment

Not known.

12.6 Endocrine disrupting properties

None known.

12.7 Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

Dispose of contents in accordance with local, state or national legislation.
Dispose of this material and its container to hazardous or special waste collection point. Dispose at suitable refuse site.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION**Not classified as hazardous for transport.****14.1 UN number or ID number**

Not applicable

14.2 UN proper shipping name

Not applicable

14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards

Not classified as a Marine Pollutant.

14.6 Special precautions for user

Not known

14.7 Maritime transport in bulk according to IMO instruments

Not known

SECTION 15: REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**10k Catalytic Converter Cleaner**

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation Not listed

High Concern for Authorisation

REACH: ANNEX XIV list of substances subject to authorisation Not listed

REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles Polycyclic-aromatic hydrocarbons (PAH) (91-20-3), Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics (), Polyolefin alkyl phenol alkyl amine (), Hydrocarbons, C10, aromatics, >1% naphthalene (), Alkaryl polyether (), 1,2,4-trimethylbenzene (95-63-6), mesitylene 1,3,5-trimethylbenzene (108-67-8), 2-ethylhexan-1-ol (104-76-7), diethylbenzene (25340-17-4), cumene (98-82-8)

Community Rolling Action Plan (CoRAP) naphthalene (91-20-3), 2-ethylhexan-1-ol (104-76-7)

Regulation (EU) N° 2019/1021 of the European Parliament and of the Council on persistent organic pollutants Polycyclic aromatic hydrocarbons (PAHs) (91-20-3)

Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer Not listed

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals Not listed

National regulations

Other Not known.

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s)



GHS08

GHS02: GHS: Flame

GHS07: GHS: Exclamation mark

GHS09: GHS: Environment

Hazard classification

Flam. Liq. 3 : Flammable liquid, Category 3

Flam. Sol. 2 : Flammable solid, Category 2

Acute Tox. 4 : Acute toxicity, Category 4

**10k Catalytic Converter Cleaner**

Asp. Tox. 1 : Aspiration hazard, Category 1

Skin Irrit. 2 : Skin corrosion/irritation, Category 2

Eye Irrit. 2 : Serious eye damage/irritation, Category 2

Acute Tox. 4 : Acute toxicity, Category 4

STOT SE 3 : Specific target organ toxicity — single exposure, Category 3

STOT SE 3 : Specific target organ toxicity — single exposure, Category 3

Carc. 2 : Carcinogenicity, Category 2

Aquatic Acute 1 : Hazardous to the aquatic environment, Acute, Category 1

Aquatic Chronic 1 : Hazardous to the aquatic environment, Chronic, Category 1

Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2

Aquatic Chronic 3 : Hazardous to the aquatic environment, Chronic, Category 3

Hazard Statement(s)

H226: Flammable liquid and vapour.

H228: Flammable solid.

H302: Harmful if swallowed.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H335: May cause respiratory irritation.

H336: May cause drowsiness or dizziness.

H351: Suspected of causing cancer.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

EUH066: Repeated exposure may cause skin dryness or cracking.

Precautionary Statement(s)

P273: Avoid release to the environment.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTRE/doctor.

P331: Do NOT induce vomiting.

P405: Store locked up.

P501: Dispose of contents in accordance with local, state or national legislation.

Acronyms

ATE : Acute Toxicity Estimate

CAS : Chemical Abstracts Service

CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

DNEL : Derived No Effect Level

EC : European Community

EINECS : European Inventory of Existing Commercial Chemical Substances

**10k Catalytic Converter Cleaner**

LTEL : Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic

PNEC : Predicted No Effect Concentration

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

STEL : Short term exposure limit

STOT : Specific Target Organ Toxicity

vPvB : very Persistent and very Bioaccumulative

Key literature references and sources
for data used to compile the SDS

Regulation (EC) No. 1272/2008 (CLP)

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Granville Oil & Chemicals Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Granville Oil & Chemicals Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.