

**G+Pro Spray On Underseal**

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) &amp; 2020/878

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 Product identifier**

Product Name G+Pro Spray On Underseal  
Product code 1092  
Unique Formula Identifier (UFI) 9D20-200Y-W00E-XAXM

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified Use(s) PC1 Adhesives, sealants  
Uses Advised Against Not known.

**1.3 Details of the supplier of the safety data sheet**

## Manufacturer

Company Identification Granville Oil & Chemicals Ltd  
Address of Manufacturer 29 Goldthorpe Ind. Est.,  
Goldthorpe,  
Rotherham,  
South Yorkshire,

Postal code S63 9BL  
Telephone: +44 (0)1709 890099  
Fax Not known.  
E-mail lab@granvilleoil.com  
Office hours 08:00 - 17:00

## Responsible Person

Company Identification Veedol Deutschland GmbH  
Address of Responsible Person Hans-Böckler-Straße 10  
Langenfeld,  
Germany

Postal code 40764  
Telephone: +49 (0) 2173 893 30 30  
Fax Not known.  
E-mail lab@granvilleoil.com  
Office hours

**1.4 Emergency telephone number**

Emergency Phone No. +44 (0)1709 890099  
Contact Granville Lab  
National response centre  
Address NHS Direct  
Emergency Phone No. +44 111

**SECTION 2: HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture**

Regulation (EC) No. 1272/2008 (CLP) Aerosol 1 :Extremely flammable aerosol. Pressurised container: May burst if heated.

**G+Pro Spray On Underseal**

Skin Irrit. 2 :Causes skin irritation.

**2.2 Label elements**

According to Regulation (EC) No. 1272/2008 (CLP)

Product Name

G+Pro Spray On Underseal

Hazard Pictogram(s)



GHS02



GHS07

Signal Word(s)

Danger

Hazard Statement(s)

H222: Extremely flammable aerosol.  
H229: Pressurised container: May burst if heated.  
H315: Causes skin irritation.

Precautionary Statement(s)

P102: Keep out of reach of children.  
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211: Do not spray on an open flame or other ignition source.  
P251: Do not pierce or burn, even after use.  
P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50° C/ 122° F.

Unique Formula Identifier (UFI)

9D20-200Y-W00E-XAXM

**2.3 Other hazards**

None known.

**2.4 Additional Information**

For full text of H/P Statements see section 16.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.1 Substances**

Not applicable.

**3.2 Mixtures**

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
Petroleum gases, liquefied Petroleum gas [A complex combination of hydrocarbons	68476-85-7	270-704-2	30-50	Flam. Gas 1A H220	GHS02



**G+Pro Spray On Underseal**

produced by the distillation of crude oil. It consists of hydrocarbons having carbon numbers predominantly in the range of C3 through C7 and boiling in the range of approximately -40 ° C to 80 ° C (-40 ° F to 176 ° F).]					
Xylene	1330-20-7	215-535-7	11-40	Flam. Liq. 3 H226 Acute Tox. 4 H312 Skin Irrit. 2 H315 Acute Tox. 4 H332	GHS02 GHS07
ethylbenzene	100-41-4	202-849-4	<1	Flam. Liq. 2 H225 Asp. Tox. 1 H304 Acute Tox. 4 H332 STOT RE 2 H373	GHS02 GHS08 GHS07

HAZARDOUS INGREDIENT(S)	CAS No.	Specific Concentration Limit	M-factor	ATE
Xylene	1330-20-7			Acute Tox. 4 (H312) : 1100.000 Acute Tox. 4 (H332) : 1.500
ethylbenzene	100-41-4			Acute Tox. 4 (H332) : 1.500

Contains no non-classified vPvB substances.  
 Contains no non-classified substances with a Union workplace exposure limit.  
 For full text of H/P Statements see section 16.

**SECTION 4: FIRST AID MEASURES**

**4.1 Description of first aid measures**

Inhalation Remove person to fresh air and keep comfortable for breathing.  
 Skin Contact Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention  
 Eye Contact Rinse eyes with water as a precaution.  
 Ingestion Call a poison center or a doctor if you feel unwell.

**4.2 Most important symptoms and effects, both acute and delayed**

May cause irritation.

**4.3 Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: FIREFIGHTING MEASURES**

**G+Pro Spray On Underseal****5.1 Extinguishing media**

Suitable Extinguishing media Water spray. Dry powder. Foam. Carbon dioxide.  
Unsuitable extinguishing media None Known.

**5.2 Special hazards arising from the substance or mixture**

Fire hazard Hazardous decomposition products in case of fire  
Explosion hazard Pressurised container: May burst if heated.  
Hazardous decomposition products in case of fire Toxic fumes may be released.

**5.3 Advice for firefighters**

Do not attempt to act without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1 Personal precautions, protective equipment and emergency procedures**

Emergency procedures Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes.

Protective equipment Do not attempt to act without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

**6.2 Environmental precautions**

Avoid release to the environment.

**6.3 Methods and material for containment and cleaning up**

Mechanically recover the product. Dispose of materials or solid residues at an authorized site.

**6.4 Reference to other sections**

See Also Section 8, 13.

**SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling**

Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid contact with skin and eyes. Wear personal protective equipment.  
Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

**7.2 Conditions for safe storage, including any incompatibilities**

Protect from sunlight. Store in a well-ventilated place. Keep cool.  
Storage temperature Do not expose to temperatures exceeding 50° C/ 122° F.  
Storage life Stable under normal conditions.  
Incompatible materials None known.

**7.3 Specific end use(s)**

PC1 Adhesives, sealants

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**G+Pro Spray On Underseal****8.1 Control parameters**

## 8.1.1 Occupational Exposure Limits

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
Liquefied petroleum gas	68476-85-7	1000	1750	1250	2180	(f)
Xylene, o-,m-,p- or mixed isomers	1330-20-7	50	220	100	441	Sk, BMGV
Ethylbenzene	100-41-4	100	441	125	552	Sk

Region                      Source  
United Kingdom        UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark                    Notes  
(f)                          Carc (only applies if LPG contains more than 0.1% of buta-1,3-diene)  
Sk                          Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.  
BMGV                      Biological monitoring guidance values are listed in Table 2.

Biological Exposure Indices						
Substances	CAS Number	Sampling	Tissue	Control parameters	Biological monitoring guidance value	Comments
Xylene, o-, m-, p- or mixed isomers	1330-20-7	Post shift	urine	methyl hippuric acid	650 mmol methyl hippuric acid/mol creatinine	

Remark                    Notes

**8.2 Exposure controls**

8.2.1. Appropriate engineering controls Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Ensure adequate ventilation. A washing facility/water for eye and skin cleaning purposes should be present.

## 8.2.2. Personal protection equipment



Eye Protection                      Wear eye protection with side protection (EN166).



Skin protection                      Wear protective clothing and gloves: Impervious gloves (EN 374).



Respiratory protection            In case of insufficient ventilation, wear suitable respiratory equipment.

**G+Pro Spray On Underseal**

Thermal hazards

None known.

8.2.3. Environmental Exposure Controls Avoid release to the environment.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

Physical state	Aerosol
Colour	Black.
Odour	Characteristic.
Melting point/freezing point	Not known.
Boiling point or initial boiling point and boiling range	Not applicable.
Flammability	Extremely flammable aerosol.
Lower and upper explosion limit	Not known.
Flash Point	< 23 ° C.
Auto-ignition temperature	Not known.
Decomposition Temperature	Not known.
pH	Not known.
Kinematic Viscosity	Not known.
Solubility	Solubility (Water) : Not known. Solubility (Other) : Not known.
Partition coefficient n-octanol/water (log value)	Not known.
Vapour pressure	Not known.
Density and/or relative density	Not known.
Relative vapour density	Not known.
Particle characteristics	Not known.
Explosive properties	Pressurised container: May burst if heated.

**9.2 Other information**

None.

**SECTION 10: STABILITY AND REACTIVITY****10.1 Reactivity**

Extremely flammable aerosol. Pressurised container: May burst if heated.

**10.2 Chemical Stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

No hazardous reactions known if used for its intended purpose.

**10.4 Conditions to avoid**

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

**10.5 Incompatible materials**

Not known.

**G+Pro Spray On Underseal****10.6 Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute toxicity - Ingestion	Calculation method : Not classified.
Acute toxicity - Skin Contact	Calculation method : Not classified.
	Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 10000.00000
Acute toxicity - Inhalation	Calculation method : Not classified.
	Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 12.50000
Skin corrosion/irritation	Calculation method : Causes skin irritation.
Serious eye damage/irritation	Calculation method : Not classified.
Skin sensitization data	Calculation method : Not classified.
Respiratory sensitization data	Calculation method : Not classified.
Germ cell mutagenicity	Calculation method : Not classified.
Carcinogenicity	Calculation method : Not classified.
Reproductive toxicity	Calculation method : Not classified.
Lactation	Calculation method : Not classified.
STOT - single exposure	Calculation method : Not classified.
STOT - repeated exposure	Calculation method : Not classified.
Aspiration hazard	Calculation method : Not classified.

**11.2 Information on other hazards**

Not known.

**SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity**

Toxicity - Aquatic invertebrates	Low toxicity to invertebrates.
Toxicity - Fish	Low toxicity to fish.
Toxicity - Algae	Low toxicity to algae.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.

**12.2 Persistence and degradability**

Not known.

**12.3 Bioaccumulative potential**

Not known.

**12.4 Mobility in soil**

Not known.

**12.5 Results of PBT and vPvB assessment**

Not known.

**12.6 Endocrine disrupting properties**

**G+Pro Spray On Underseal**

None known.

**12.7 Other adverse effects**

Not known.

**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods**

Send to a licensed recycler, reclaimer or incinerator. Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Do not allow to enter drains, sewers or watercourses. Do NOT landfill.

**13.2 Additional Information**

Disposal should be in accordance with local, state or national legislation.

**SECTION 14: TRANSPORT INFORMATION****14.1 UN number or ID number**

UN No. 1950

**14.2 UN proper shipping name**

UN proper shipping name AEROSOLS

**14.3 Transport hazard class(es)**

ADR/RID

ADR/RID Class 2

ADR Classification Code 5F

Special Provisions 190, 327, 344, 625

Limited Quantities 1 L

Excepted Quantities E0

Emergency Action Code

Mixed Packing Instructions for Packages P207 LP200

Special Packing Provisions for Packages PP87 RR6 L2

Mixed Packing Instructions for Packages MP9

Packing Instructions for Portable Tanks

Special Provisions for Portable Tanks

Tank Code for Tanks

Special Provisions for Tanks

Vehicle for Tank Carriage

ADR Transport Category 2

Tunnel Restriction Code D

Special Provisions for Carriage - Packages V14

Special Provisions for Carriage - Bulk

**G+Pro Spray On Underseal**

Special Provisions for Carriage - Loading, Unloading and Handling	CV9 CV12
Special Provisions for Carriage - Operation	S2
ADR HIN	
IMDG	
IMDG Class	2
Special Provisions	190, 327, 344, 625
Limited Quantities	1 L
Excepted Quantities	E0
Mixed Packing Instructions for Packages	P207 LP200
Special Packing Provisions for Packages	PP87 RR6 L2
Packing Instructions for Portable Tanks	
Special Provisions for Portable Tanks	
IMDG EMS	F-D, S-U
Stowage and Handling	SW1 SW22
Segregation	SG69
Marine Pollutant	
ICAO/IATA	
IATA Proper Shipping Name	AEROSOLS
Excepted Quantities	E0
Passenger and Cargo Aircraft Limited Quantities Packing Instructions	Y203
Passenger and Cargo Aircraft Limited Quantities Max net Qty	30Kg
Passenger and Cargo Aircraft Packing Instructions	203
Passenger and Cargo Aircraft Max net Qty	75Kg
Cargo Aircraft Packing Instructions	203
Cargo Aircraft Max net Qty	150Kg
Special Provisions	A145, A167, A802
Emergency Response Guidebook (ERG) Code	10L
Labels	
Labels	2.1

**14.4 Packing group**

Packing group

**14.5 Environmental hazards**

Environmental hazards

Not classified as a Marine Pollutant.

**14.6 Special precautions for user**

**G+Pro Spray On Underseal**

Special precautions for user Not known.

**14.7 Maritime transport in bulk according to IMO instruments**

No information available

**SECTION 15: REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation Not listed

High Concern for Authorisation

REACH: ANNEX XIV list of substances subject to authorisation Not listed

REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles Carcinogens: category 1A (68476-85-7), Xylene (1330-20-7), ethylbenzene (100-41-4)

Community Rolling Action Plan (CoRAP) Xylene (1330-20-7)

Regulation (EU) N° 2019/1021 of the European Parliament and of the Council on persistent organic pollutants Not listed

Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer Not listed

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals Not listed

**National regulations**

Other Not known.

**15.2 Chemical Safety Assessment**

A REACH chemical safety assessment has not been carried out.

**SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements:

**LEGEND**

Hazard Pictogram(s)



GHS02



GHS07

GHS08: GHS: Health hazard

Hazard classification

Flam. Gas 1A : Flammable gas Category 1A

**G+Pro Spray On Underseal**

Aerosol 1 : Aerosol, Category 1  
Flam. Liq. 2 : Flammable liquid, Category 2  
Flam. Liq. 3 : Flammable liquid, Category 3  
Asp. Tox. 1 : Aspiration hazard, Category 1  
Acute Tox. 4 : Acute toxicity, Category 4  
Skin Irrit. 2 : Skin corrosion/irritation, Category 2  
Acute Tox. 4 : Acute toxicity, Category 4  
STOT RE 2 : Specific target organ toxicity — repeated exposure, Category 2

## Hazard Statement(s)

H220: Extremely flammable gas.  
H222: Extremely flammable aerosol.  
H225: Highly flammable liquid and vapour.  
H226: Flammable liquid and vapour.  
H229: Pressurised container: May burst if heated.  
H304: May be fatal if swallowed and enters airways.  
H312: Harmful in contact with skin.  
H315: Causes skin irritation.  
H332: Harmful if inhaled.  
H373: May cause damage to organs through prolonged or repeated exposure.

## Precautionary Statement(s)

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211: Do not spray on an open flame or other ignition source.  
P251: Do not pierce or burn, even after use.  
P264: Wash hands and exposed skin thoroughly after handling.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P302+P352: IF ON SKIN: Wash with plenty of water.  
P321: Specific treatment (see Medical Advice on this label).  
P332+P313: If skin irritation occurs: Get medical advice/attention.  
P362+P364: Take off contaminated clothing and wash it before reuse.  
P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50° C/ 122° F.

## Acronyms

ADN : European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road  
ATE : Acute Toxicity Estimate  
CAS : Chemical Abstracts Service  
CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures  
DNEL : Derived No Effect Level

**G+Pro Spray On Underseal**

EC : European Community  
EINECS : European Inventory of Existing Commercial Chemical Substances  
IATA : International Air Transport Association  
IBC : Intermediate Bulk Container  
ICAO : International Civil Aviation Organization  
IMDG : International Maritime Dangerous Goods  
LTEL : Long term exposure limit  
PBT : Persistent, Bioaccumulative and Toxic  
PNEC : Predicted No Effect Concentration  
REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals  
RID : Regulations concerning the International Carriage of Dangerous Goods by Rail  
STEL : Short term exposure limit  
STOT : Specific Target Organ Toxicity  
UN : United Nations  
vPvB : very Persistent and very Bioaccumulative

Key literature references and sources  
for data used to compile the SDS

Regulation (EC) No. 1272/2008 (CLP)

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Granville Oil & Chemicals Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Granville Oil & Chemicals Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.